

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.26.2024 Page 1 of 13

**EC Clean** 

## **SECTION 1: Identification**

**Product Identifier** 

Product Name: EC Clean

Recommended Use of the Product and Restriction on Use

Relevant Identified Uses: Commercial Vehicle Pre-Soak & Degreasing

Uses Advised Against: Polished aluminum

Reasons Why Uses Advised Against: Etches aluminum

## **Manufacturer or Supplier Details**

Manufacturer: United States

Express Carwash 4014 E 143rd Street Grandview, MO. 64030 913-717-7179 www.expresscarwash.com

WWW.capreased.Washieem

## **Emergency Telephone Number:**

**United States** 

**CHEMTREC** 

1-800-424-9300 (24 hrs)

1-800-262-8200 (24 hrs)

1-703-527-3887 (24 hrs (international))

## SECTION 2: Hazard(s) Identification

#### **GHS Classification:**

Acute toxicity (oral), category 4
Acute toxicity (inhalation), category 4
Skin corrosion, category 1A
Serious eye damage, category 1
Specific target organ toxicity - repeated exposure, category 2
Aspiration hazard, category 1

## **Label elements**

#### **Hazard Pictograms:**







Signal Word: Danger

**Hazard statements:** 

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage

H302 Harmful if swallowed

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial Preparation Date: 01.26.2024** Page 2 of 13

#### **EC Clean**

H304 May be fatal if swallowed and enters airways

H332 Harmful if inhaled

H373 May cause damage to organs through prolonged or repeated exposure if swallowed or inhaled.

#### **Precautionary Statements:**

P260 Do not breathe dust/fume/gas/mist/vapors/spray

P264 Wash hands/skin thoroughly after contact with or handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection

P270 Do not eat, drink or smoke when using this product

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P271 Use only outdoors or in a well-ventilated area

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

P363 Wash contaminated clothing before reuse

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing P310 Immediately call a POISON CENTER/911/PHYSICIAN IF: swallowed, eye contact, skin burns/rash or

breathing difficulties.

P321 Specific treatment (see first aid procedures on the product label in section 4 of this SDS)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

P330 Rinse mouth

P331 Do NOT induce vomiting

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/911 and follow first aid procedures

P312 Call a POISON CENTER/911/PHYSICIAN if you feel unwell.

P314 Get medical advice/attention if you feel unwell

P405 Store locked up

P501 Dispose of contents/container in accordance with local, state and federal regulations.

Hazards Not Otherwise Classified: None

## **SECTION 3: Composition/Information on Ingredients**

Identification	Name	Weight %
CAS Number: 7732-18-5	Water	20-50
CAS Number: 1310-73-2	Sodium hydroxide	10-15
CAS Number: 68584-22-5	Benzenesulfonic acid, C10-16-alkyl derivatives	5-10
CAS Number: 111-76-2	2-Butoxyethanol	5-10

#### Additional Information:

Ingredients not listed above are considered trade secret.

#### **SECTION 4: First Aid Measures**

## **Description of First Aid Measures General Notes:**

Initial Preparation Date: 01.26.2024 Page 3 of 13

### **EC Clean**

Show this Safety Data Sheet to the doctor in attendance. Take precautions to ensure your own safety before attempting rescue. Wear appropriate safety eyewear, gloves, protective clothing and respiratory protection to prevent exposure. See Section 8 of this SDS for personal protective equipment recommendations. Do not use the mouth to mouth method if victim has ingested or inhaled the product. Give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper device.

#### After Inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If symptoms develop or persist, seek medical advice/attention.

#### **After Skin Contact:**

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

## **After Eye Contact:**

Immediately rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. Seek immediate medical attention, preferably from an ophthalmologist.

#### After Swallowing:

This product presents an aspiration hazard. If aspiration is suspected, seek emergency medical treatment. If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

# Most Important Symptoms and Effects, Both Acute and Delayed Acute Symptoms and Effects:

Exposure to skin may result in redness, pain, burning, inflammation and tissue damage. Exposure to eyes may result in irritation, redness, pain, inflammation, itching, burning, tearing, corneal damage and loss of vision. Exposure via inhalation may result in cough, sore throat, burning sensation and shortness of breath. Exposure via ingestion may result in burns of the mouth and throat, abdominal pain, burning sensation in the throat and chest, nausea, vomiting, shock or collapse.

Eye contact may result in irritation, redness, pain, inflammation, itching, burning, tearing, corneal damage and loss of vision.

Acute oral exposure may lead to dizziness, drowsiness, headache, breathing difficulties, nausea, vomiting, abdominal pain, and lowering of consciousness. Adverse effects are dependent on exposure (dose, concentration, contact time).

May be fatal if swallowed and enters airways. Aspiration may cause pulmonary edema and pneumonitis. Symptoms may include shortness of breath, dry cough and irritation of the nose, eyes, lips, mouth and throat.

Acute inhalation exposure may lead to dizziness, drowsiness, headache, breathing difficulties, nausea, vomiting, abdominal pain, and lowering of consciousness. Adverse effects are dependent on exposure (dose, concentration, contact time).

#### **Delayed Symptoms and Effects:**

Effects are dependent on exposure (dose, concentration, contact time).

Symptoms of pulmonary edema may be delayed.

Symptoms of exposure may be delayed.

May cause damage to organs through prolonged or repeated exposure. Effects are dependent on exposure (dose, concentration, contact time).

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial Preparation Date: 01.26.2024** Page 4 of 13

#### **EC Clean**

## **Immediate Medical Attention and Special Treatment**

#### **Specific Treatment:**

In case of eye contact, seek prompt medical attention while rinsing is continued.

In case of skin contact, seek prompt medical attention while rinsing is continued.

In case of ingestion, seek prompt medical attention.

#### **Notes for the Doctor:**

Treat symptomatically.

## **SECTION 5: Firefighting Measures**

#### **Extinguishing Media**

#### **Suitable Extinguishing Media:**

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

## **Unsuitable Extinguishing Media:**

Do not use water jet.

## Specific Hazards During Fire-Fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

#### Special Protective Equipment for Firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

#### Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

#### **SECTION 6: Accidental Release Measures**

#### Personal Precautions, Protective Equipment, and Emergency Procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Do not get on skin, eyes or on clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling. Remove contaminated clothing and launder before reuse.

## **Environmental Precautions:**

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

## Methods and Material for Containment and Cleaning Up:

Harmful if swallowed. Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Avoid breathing dust, mist, fumes, vapors or spray. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

Harmful if inhaled. Put on appropriate personal protective equipment, including a self-contained breathing apparatus (see Section 8) before entering area of spill or leak. Avoid breathing dust, mist, fumes, vapors or spray. Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial Preparation Date: 01.26.2024** 

#### **EC Clean**

for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

#### Reference to Other Sections:

For personal protective equipment see Section 8. For disposal see Section 13.

## **SECTION 7: Handling and Storage**

#### **Precautions for Safe Handling:**

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Do not get in eyes. Avoid contact with skin and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

## Conditions for Safe Storage, Including Any Incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight and away from exit paths. Store in a corrosion-resistant container with a resistant inner liner. Inspect containers and storage area regularly for signs of leak and damage. Store containers at a convenient height for handling, below eye level if possible. High shelving increases the risk of dropping containers, personal injury and exposure. Ensure that appropriate fire fighting and spill-clean up equipment is readily available. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Store separately. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

## **SECTION 8: Exposure Controls/Personal Protection**

Only those substances with limit values have been included below.

#### Occupational Exposure Limit Values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
ACGIH	Sodium hydroxide	1310-73-2	Ceiling Limit: 2 mg/m³
	2-Butoxyethanol	111-76-2	8-Hour TWA: 20 ppm
OSHA	Sodium hydroxide	1310-73-2	8-Hour TWA-PEL: 2 mg/m <sup>3</sup>
	2-Butoxyethanol	111-76-2	8-Hour TWA-PEL: 240 mg/m <sup>3</sup> (50 ppm)
NIOSH	Sodium hydroxide	1310-73-2	IDLH: 10 mg/m³
	Sodium hydroxide	1310-73-2	Ceiling Limit: 2 mg/m³
	2-Butoxyethanol	111-76-2	IDLH: 700 ppm
	2-Butoxyethanol	111-76-2	REL-TWA: 24 mg/m³ (5 ppm [up to 10 hr])
United States(California)	Sodium hydroxide	1310-73-2	Ceiling Limit: 2 mg/m³
	Sodium hydroxide	1310-73-2	REL: 8 ug/m³ (Acute Inhalation)

Page 5 of 13

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.26.2024 Page 6 of 13

#### **EC Clean**

Country (Legal Basis)	Substance	Identifier	Permissible concentration
	2-Butoxyethanol		8-Hour TWA-PEL: 97 mg/m <sup>3</sup> (20 ppm)
United States	2-Butoxyethanol		8-Hour TWA: 120 mg/m³ (25 ppm [U.S. State, Tennessee])

#### **Biological Limit Values:**

Country (Legal Basis)	Substance	Identifi er	Determin ant	Specimen	Sampling time	Permissibl e limits
ACGIH	2-Butoxyethanol		Butoxyacet ic acid (with hydrolysis)	Creatinine in Urine	End of shift	200 mg/g

## Information on Monitoring Procedures:

Not determined or not applicable.

## **Appropriate Engineering Controls:**

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

## **Personal Protection Equipment**

#### **Eye and Face Protection:**

Use safety glasses with side shields or goggles. Consider the use of a face shield for splash protection. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

#### **Skin and Body Protection:**

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Full body protection should be worn. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

#### **Respiratory Protection:**

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial Preparation Date:** 01.26.2024 Page 7 of 13

#### **EC Clean**

other circumstances where air purifying respirators may not provide adequate protection. If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

#### General Hygienic Measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

## **SECTION 9: Physical and Chemical Properties**

## Information on Basic Physical and Chemical Properties

Appearance	Blue
Odor	Amine, Ether-like
Odor threshold	Not determined or not available.
рН	13-14
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	Not determined or not available.
Flash point (closed cup)	>93 c
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Vapor density	Not determined or not available.
Density	Not determined or not available.
Relative density	1.15-1.20
Solubilities	Water
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

## **SECTION 10: Stability and Reactivity**

#### Reactivity:

Not reactive under recommended handling and storage conditions.

## **Chemical Stability:**

Stable under recommended handling and storage conditions.

#### Possibility of Hazardous Reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

#### **Conditions to Avoid:**

Avoid generation of aerosols and mists, extreme heat, open flames, hot surfaces, sparks, ignition sources

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial Preparation Date: 01.26.2024** Page 8 of 13

## **EC Clean**

and incompatible materials.

Avoid confined spaces, extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

## **Incompatible Materials:**

None known.

## **Hazardous Decomposition Products:**

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological Information**

## **Acute Toxicity**

## **Assessment:**

Harmful if swallowed. Harmful if inhaled.

Product Data: No data available.

#### **Substance Data:**

Name	Route	Result
Sodium hydroxide	Oral ATE	LD50 Rat: 500 mg/kg
	dermal	LD50 Rabbit: 1350 mg/kg
Benzenesulfonic acid, C10-16-	inhalation	LC50 Rat: >1.9 mg/L (4 h [aerosol])
alkyl derivatives	Dermal ATE	LD50 Rabbit: 1100 mg/kg
	Oral ATE	LD50 Rat: 500 mg/kg
2-Butoxyethanol	Dermal ATE	LD50 Rabbit: 1100 mg/kg
	Oral ATE	LD50 Rat: 1200 mg/kg
	Inhalation ATE	LC50 Rat: 3 mg/L (4 hr [Vapours])

#### Skin Corrosion/Irritation

#### **Assessment:**

Causes severe skin burns and eye damage.

## **Product Data:**

No data available.

## **Substance Data:**

Name	Result
Sodium hydroxide	Causes severe skin burns.
Benzenesulfonic acid, C10-16-alkyl derivatives	Causes severe skins burns.
2-Butoxyethanol	Causes skin irritation.

#### Serious Eye Damage/Irritation

## **Assessment:**

Causes serious eye damage.

## **Product Data:**

No data available.

#### **Substance Data:**

Name	Result
Sodium hydroxide	Causes serious eye damage.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial Preparation Date:** 01.26.2024

## **EC Clean**

Name	Result
Benzenesulfonic acid, C10-16-alkyl derivatives	Causes serious eye damage.
2-Butoxyethanol	Causes serious eye irritation.

## Respiratory or Skin Sensitization

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

Substance Data: No data available.

Carcinogenicity

**Assessment:** Based on available data, the classification criteria are not met.

Product Data: No data available. Substance Data: No data available.

## International Agency for Research on Cancer (IARC):

Name	Classification
Water	Not Applicable
Sodium hydroxide	Not Applicable
Benzenesulfonic acid, C10-16-alkyl derivatives	Not Applicable
2-Butoxyethanol	Group 3

## **National Toxicology Program (NTP):**

Name	Classification
Water	Not Applicable
Sodium hydroxide	Not Applicable
Benzenesulfonic acid, C10-16- alkyl derivatives	Not Applicable
2-Butoxyethanol	Not Applicable

**OSHA Carcinogens:** Not applicable

**Germ Cell Mutagenicity** 

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

Substance Data: No data available.

**Reproductive Toxicity** 

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

Substance Data: No data available.

**Specific Target Organ Toxicity (Single Exposure)** 

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

Substance Data: No data available.

Specific Target Organ Toxicity (Repeated Exposure)

**Assessment:** 

Page 9 of 13

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial Preparation Date: 01.26.2024** Page 10 of 13

## **EC Clean**

May cause damage to organs through prolonged or repeated exposure.

**Product Data:** No data available.

Substance Data: No data available.

**Aspiration toxicity** 

**Assessment:** 

May be fatal if swallowed and enters airways.

**Product Data:** No data available.

Substance Data: No data available.

Information on Likely Routes of Exposure:

No data available.

Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

No data available. Other Information: No data available.

## **SECTION 12: Ecological Information**

## Acute (Short-Term) Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

**Substance Data:** 

Name	Result
Sodium hydroxide	Aquatic Invertebrates EC50 Ceriodaphnia sp.: 40.4 mg/L (48 hr [immobilization])
	Fish LC50 Fish: 35 - 189 mg/L (96 hr)
2-Butoxyethanol	Aquatic Invertebrates EC50 Daphnia magna: 1550 mg/L (48 hr [mobility])
	Fish LC50 Oncorhynchus mykiss: 1474 mg/L (96 hr)
	Aquatic Plants EC50 Raphidocelis subcapitata: 623 mg/L (72 hr [biomass])

## **Chronic (Long-Term) Toxicity**

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

#### **Substance Data:**

Name	Result	
1	Fish NOEC Danio rerio: $> 100 \text{ mg/L}$ (21 d [markers for endocrine disruptive effects])	
	Aquatic Invertebrates NOEC Daphnia magna: 100 mg/L (21 d [reproduction])	

## **Persistence and Degradability**

Product Data: No data available.

#### **Substance Data:**

Name	Result
Benzenesulfonic acid, C10-16-alkyl derivatives	Under test conditions no biodegradation observed.
	Persistence assessment based on biodegradability is not relevant for inorganic compounds such as this substance.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.26.2024 Page 11 of 13

## **EC Clean**

Name Result	
1	The substance is readily biodegradable. 90.4% degradation, measured by CO2 evolution, after 28 days.

#### **Bioaccumulative Potential**

Product Data: No data available.

#### **Substance Data:**

Name	Result	
2-Butoxyethanol	The substance is not expected to bioaccumulate (log Kow = $0.83$ ).	
	Bioaccumulation assessment using a classic BCF assessment is not considered relevant for inorganic compounds such as this substance.	

## **Mobility in Soil**

Product Data: No data available.

## **Substance Data:**

Name	Result
1	Mobility in soil assessment based on KOC/Kd values are not relevant for inorganic compounds such as this substance.

#### Results of PBT and vPvB assessment

#### **Product Data:**

**PBT assessment:** This product does not contain any substances that are assessed to be a PBT. **vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

#### **Substance Data:**

## **PBT** assessment:

2-Butoxyethanol	The substance is not PBT.
1	PBT assessment does not apply to inorganic compounds such as this substance.

#### vPvB assessment:

2-Butoxyethanol	The substance is not vPvB.
-	vPvB assessment does not apply to inorganic compounds such as this substance.

Other Adverse Effects: No data available.

## **SECTION 13: Disposal Considerations**

## **Disposal Methods:**

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

## Contaminated packages:

Not determined or not applicable.

## **SECTION 14: Transport Information**

## United States Transportation of Dangerous Goods (49 CFR DOT)

UN Number	1824
UN Proper Shipping Name	Sodium Hydroxide Solution
UN Transport Hazard Class(es)	8
Packing Group	II

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.26.2024 Page 12 of 13

## **EC Clean**

Environmental Hazards	None
Special Precautions for User	None

#### International Maritime Dangerous Goods (IMDG)

UN Number	1824
UN Proper Shipping Name	Sodium Hydroxide Solution
UN Transport Hazard Class(es)	8
Packing Group	
<b>Environmental Hazards</b>	None
Special Precautions for User	None

## International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN Number	1824
UN Proper Shipping Name	Sodium Hydroxide Solution
UN Transport Hazard Class(es)	8
Packing Group	II
Environmental Hazards	None
Special Precautions for User	None

## **SECTION 15: Regulatory Information**

#### **United States Regulations**

**Inventory Listing (TSCA):** All ingredients are listed-active or exempt.

**Significant New Use Rule (TSCA Section 5):** None of the ingredients are listed.

**Export Notification under TSCA Section 12(b):** None of the ingredients are listed.

**SARA Section 302 Extremely Hazardous Substances:** None of the ingredients are listed.

## **SARA Section 313 Toxic Chemicals:**

	111-76-2 2-Butoxyethanol		Listed		
CERCLA:					
	1310-73-2	Sodium hydroxide	Listed	1000 lb	
	111-76-2	2-Butoxyethanol	Listed	N/A	

**RCRA:** None of the ingredients are listed.

Section 112(r) of the Clean Air Act (CAA): None of the ingredients are listed.

## Massachusetts Right to Know:

1310-73-2	Sodium hydroxide	Listed
111-76-2	2-Butoxyethanol	Listed

## **New Jersey Right to Know:**

13	10-73-2	Sodium hydroxide	Listed
11	1-76-2	2-Butoxyethanol	Listed

## **New York Right to Know:**

1310-73-2	Sodium hydroxide	Listed
-----------	------------------	--------

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.26.2024 Page 13 of 13

**EC Clean** 

	111-76-2	2-Butoxyethanol	Listed	
Pennsylvania Right to Know:				
	4040 70 0			

1310-73-2	Sodium hydroxide	Listed
111-76-2	2-Butoxyethanol	Listed

#### **California Proposition 65:**

▲ **WARNING:** This product can expose you to Strong inorganic acid mists containing sulfuric acid; which is known to the State of California to cause cancer; and Sulphur dioxide, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Additional information: Not determined.

## **SECTION 16: Other Information**

## **Abbreviations and Acronyms:** None

#### Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

**NFPA:** 0-0-0 **HMIS:** 3-0-0-X

**Initial Preparation Date: 01.26.2024** 

**End of Safety Data Sheet**